

HTS-T900-UHV

4Kp60Hz Through Loop Out GamLiv Video Capture Box















GamLiv series video capture box features:

- Support 2160p@30Hz / 1440p@60Hz / 1080p@120Hz input and output, game, motion screen without drag.
- Supports a variety of video color coding, reduce CPU load, loop out without lag, real-time synchronization of game broadcast.
- Plug and play, without drive installation, USB direct connection to computer / mobile phone, 3 seconds start.
- Low latency transmission, USB to PC about 60ms, sound and picture synchronization without delay.
- Support the OBS / XSplit / vMix and other third-party software, Windows / Linux / Mac / iOS / Android / Harmony OS system compatible.
- Product support appearance design, function increase or decrease, OEM / ODM



Specification

Model	HTS-T800-U		
Video			
Resolution Capture	3840 x 2160(max 30fps), 2560 x 1440(max 60fps), 1920 x 1080(max 120fps),1280 x 720(max 60fps), 640 x 480(max 60fps)		
Loop Out	2160p60, 1440p120, 1080p240, 720p60, 480p60		
Video Format	YUY2, P010, NV12, XRGB		
Color Space	Rec.709, Rec.601, Rec.2100(PQ), Rec.2100(HLG		
Audio			
Audio Codec	PCM		
Audio Input	Digital-HDMI, CTIA		
Audio Output	HDMI, CTIA		
Sampling Rate	8kHz, 16kHz, 44.1kHz, 48kHz		
Interface			
Master control	USB 3.0 Type-C		
Video I/O	HDMI 1.4		
Audio I/O	3.5mm Audio,		
Function			
HDR	10bit HDR record of 2160p60		
VRR	None		
UVC,UAC	Support		
Other Function	Mix Voice Off Key		
Configure Video	Support from capture software Settings		
Led Light	Colorful working lights		
Support			
Systen Support	Windows, Linux, macOS, iOS, Harmony OS, Android etc		
Software Support	OBS, vMix, XSplit etc Third-party Software		



Service	12 months warranty			
Approval	FCC, CE, RoHS (Factory inclusion)			
General				
Power	USB 5V 2A			
Material	Metal, Plastic			
Work Temperature	0°C to +90°C(+32°F to +194°F)			
Dimension	99 x 99 x 23 mm			
Weight	245 g			

^{*} This parameter is measured in our laboratory. If the product is customized, used in different environments or in different ways, please use the actual data. If you have any doubts, please contact us.




Related Model

HTS-T801-UHV

Common Solution

Live games, live teaching, live surgery, live meeting minutes, live church

Dimension





Unit: mm (inch) Weight.: about 245g

Accessory

Item	Name	Quantity	Note
1	USB-C to USB-A&C Cable	1	1m





More Video Application

Follow us: HOMTRONS Vision











Headquarters

www.homtrons.com contact@homtrons.com

HOMTRONS VISION TECHNOLOGY CO., LTD.

3th Floor, B2 Building, CHANG'AN Technology Park, 3 West Road, Songgang District, Shenzhen 518100, CN