



HTS-T911-UHV

4Kp144Hz Capture Video Loop Out GamLin Video Capture Box



## GamLiv series video capture box features:

- Support 2160p@144Hz / 1440p@144Hz / 1080p@240Hz input and output, game, motion screen without drag.
- Supports a variety of video color coding, reduce CPU load, loop out without lag, real-time synchronization of game broadcast.
- Plug and play, without drive installation, USB direct connection to computer / mobile phone, 3 seconds start.
- Low latency transmission, USB to PC about 60ms, sound and picture synchronization without delay.
- Support the OBS / XSplit / vMix and other third-party software, Windows / Linux / Mac / iOS / Android / Harmony OS system compatible.
- Product support appearance design, function increase or decrease, OEM / ODM



## ● Specification

<b>Model</b>	HTS-T911-UHV
<b>  Video</b>	
Resolution Capture	3840 x 2160(max 144fps), 2560 x 1440(max 144fps), 1920 x 1080(max 240fps), 1280 x 720(max 60fps), 640 x 480(max 60fps)
Loop Out	2160p144, 1440p240, 1080p360, 720p60, 480p60
Video Format	MJPEG, YUY2, P010, NV12, I420, XRGB
Color Space	Rec.709, Rec.601, Rec.2100(PQ), Rec.2100(HLG)
<b>  Audio</b>	
Audio Codec	PCM
Audio Input	HDMI(LPCM 5.1), TRS, CTIA
Audio Output	HDMI, CTIA
Sampling Rate	8kHz, 16kHz, 44.1kHz, 48kHz
<b>  Interface</b>	
Master control	USB 3.1(Gen 2) Type-C
Video I/O	HDMI 2.1
Audio I/O	3.5mm Line in, 3.5mm Audio out, 3.5mm Mic in,
<b>  Function</b>	
HDR	10bit HDR record of 2160p144,1440p240,1080p360
VRR	Support 2160p(144Hz), 1080p(360Hz) input and loop out *Without support "XBox X1" YCbCr 420 VRR input. Check and settings YCC 4:2:2 to get VRR
UVC,UAC	Support
Reset Function	None
Configure Video	Support from capture software Settings
Led Light	Colorful working lights
<b>  Support</b>	
System Support	Windows, Linux, macOS, iOS, Harmony OS, Android etc
Software Support	OBS, vMix, XSplit etc Third-party Software



Service	12 months warranty
Approval	FCC, CE, RoHS (Factory inclusion)
<b>  General</b>	
Power	USB 5V 2A
Material	Meta
Work Temperature	0°C to +90°C(+32°F to +194°F)
Dimension	130 x 75 x 23 mm
Weight	340g

\* This parameter is measured in our laboratory. If the product is customized, used in different environments or in different ways, please use the actual data. If you have any doubts, please contact us.



- **Related Model**  
HTS-T918-UHV

- **Common Solution**  
Live games, live teaching, live surgery, live meeting minutes, live church

- **Dimension**



Unit : mm (inch)  
Weight. : about 340g

- **Accessory**

Item	Name	Quantity	Note
1	USB-C to USB-A&C Cable	1	1m



## More Video Application

Follow us: HOMTRONS Vision



### Headquarters

[www.homtrons.com](http://www.homtrons.com)  
[contact@homtrons.com](mailto:contact@homtrons.com)

### HOMTRONS VISION TECHNOLOGY CO., LTD.

3th Floor, B2 Building, CHANG'AN Technology Park, 3 West Road,  
Songgang District, Shenzhen 518100, CN